EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"20020109857".pn.	US-PGPUB; USPAT	OR	ON	2008/02/01 17:38
S2	13	("5550637" "582593" "6084934" "6091515" "6094546" "6233226" "6542253" "6594027" "6636327" "6701372" "6742130" "6977945").PM.	US-PGPUB; USPAT	OR	ON	2007/08/07 11:43
S3	107	(power near (sav\$4 stor\$4) near mode) same ((normal regular) same mode) same printer	US-PGPUB; USPAT	OR	ON	2008/01/29 15:50
S4	59	(power near (sav\$4 stor\$4) near mode) same ((normal regular) near mode) same printer	US-PGPUB; USPAT	OR	ON	2008/01/29 15:52
S5	1	"6389554".pn.	US-PGPUB; USPAT	OR	ON	2008/01/29 15:53
S6	16	ack same nak same printer	US-PGPUB; USPAT	OR	ON	2008/01/30 09:44
S7	131	(configur\$4 control) with (receiv\$4 near5 (speed rate)) with (data information) same (printer mfp fax facsimile)	US-PGPUB; USPAT	OR	ON	2008/01/30 11:19
S8	55	(configur\$4 control) near5 (receiv\$4 near5 (speed rate)) near5 (data information) same (printer mfp fax facsimile)	US-PGPUB; USPAT	OR	ON	2008/01/30 11:43

S9	28	(configur\$4 control) near5 (receiv\$4 near5 speed) near5 (data information) same (printer mfp fax facsimile)	US-PGPUB; USPAT	OR	ON	2008/01/30 11:44
S10	1	("6100995").URPN.	USPAT	OR	ON	2008/01/30 11:47
S11	2153	358/1.16.ccls.	US-PGPUB; USPAT	OR	ON	2008/02/01 17:38
S12	131	(configur\$4 control) with (receiv\$4 near5 (speed rate)) with (data information) same (printer mfp fax facsimile)	US-PGPUB; USPAT	OR	ON	2008/02/01 17:38
S13	7	S12 and S11	US-PGPUB; USPAT	OR	ON	2008/02/01 17:38
S14	7503	((receiv\$4 get\$4 download\$4 transfer\$4 transmit\$4) with (data information) with (transit\$4 chang\$4 shift \$4 phase) same print \$4	US-PGPUB; USPAT	OR	ON	2008/08/07 14:18
S15	3674	(receiv\$4 get\$4 download\$4 transfer\$4 transmit\$4) near5 (data information) near5 (transit\$4 chang \$4 shift\$4 phase) same print\$4	US-PGPUB; USPAT	OR	ON	2008/08/07 14:19
S16	384	(receiv\$4 get\$4 download\$4 transfer\$4 transmit\$4) near (data information) near (transit\$4 chang\$4 shift \$4 phase) with print\$4	US-PGPUB; USPAT	OR	ON	2008/08/07 14:20
S17	10	(receiv\$4 get\$4 download\$4 transfer\$4 transmit\$4) with (data information) with (transit\$4 chang\$4 shift \$4 phase) same print \$4 same (power near (sav\$4 stor\$4) near mode) same ((normal regular) same mode)	US-PGPUB; USPAT	OR	OS	2008/08/07 14:21

S18	2	("5881335" "6438334").PN.	US-PGPUB; USPAT	OR	ON	2008/08/07 14:24
S19	11	(processer controller cpu ((prcess\$4 controll \$4)) near (unit device)) near5 (off \$1state off\$1mode) same print\$4	US-PGPUB; USPAT	OR	ON	2009/01/31 18:13
S20	17	(processer controller cpu ((process\$4 controll \$4)) near (unit device)) same (off \$1state off\$1mode) same (power near sav \$4)	US-PGPUB; USPAT	OR	ON	2009/02/01 10:38
S21	5	(processer controller cpu ((prcess\$4 controll \$4)) near (unit device)) with (off \$1state off\$1mode) with (power near sav \$4)	US-PGPUB; USPAT	OR	ON	2009/02/01 10:38
S22	2	(print\$4 fax\$4 mfp) same (processer controller cpu ((prcess \$4 controll\$4)) near (unit device)) same (off \$1 state off\$1 mode) same (power near sav \$4)	US-PGPUB; USPAT	OR	ON	2009/02/01 10:44
S23	114	(processer controller cpu ((process\$4 controll \$\frac{4}{5}\) near (unit device)) same (off \$\frac{1}{5}\state off\$\frac{1}{5}\since \frac{1}{5}\since \frac	US-PGPUB; USPAT	OR	ON	2009/02/01 10:49
S24	37	(processer controller cpu ((process\$4 controll \$4)) near (unit device)) same (off \$1 state off\$1 mode (off near mode) off) same (power near sav\$4) same (normal near mode) and (print\$4 mfp)	US-PGPUB; USPAT	ÖR	ON	2009/02/01

S25	11	("5386572" "5825992" "5825992" "5920727" "5987274" "6639907" "6687382" "6718381" "6791572").FN. OR ("6925574").URFN.	US-PGPUB; USPAT; USOOR	OR	00 00	2009/02/01 10:52
S26	138	(kazuhiro and satoh).	US-PGPUB; USPAT	OR	ON	2009/02/01 11:08
S27	63	(kazuhiro near satoh). in.	US-PGPUB; USPAT	OR	ON	2009/02/01 11:08
S28	34	(off\$1state off\$1mode (off near mode) off) same (power near sav \$4) same (normal near mode) same print\$4	US-PGPUB; USPAT	OR	ON	2009/02/01 11:09
S29	4	S26 and S28	US-PGPUB; USPAT	OR	ON	2009/02/01 11:09
S30	0	(processer controller cpu ((process\$4 controll \$4)) near (unit device)) same (off \$1state off\$1mode) same (power near sav \$4) same (normal near mode)	US-PGPUB; USPAT	OR	ON	2009/02/01 11:31
S31	3	(processer controller cpu ((process\$4 controll\$4)) near (unit device)) same (off \$1\$ state off\$1 mode) same (power near sav \$4) same normal	US-PGPUB; USPAT	OR	ON	2009/02/01 11:31
S32	373	(processer controller cpu ((process\$4 controll\$4)) near (unit device)) same off same (power near sav \$4) same normal	US-PGPUB; USPAT	OR	ON	2009/02/01 11:32
S33	31	(processer controller cpu ((process\$4 controll\$4)) near (unit device)) same off same (power near sav \$4) same normal same (print\$4 mfp)	US-PGPUB; USPAT	OR	ON	2009/02/01 11:35

S34	33	(processer controller cpu ((process\$4 controll\$\$)) near (unit device)) same (off near (state mode)) same (power near sav \$4) same (normal near (state mode))	US-PGPUB; USPAT	OR	ON	2009/02/01 11:46
\$35	6	(processer controller cpu ((process\$4 controll\$4)) near (unit device)) same (off near (state mode)) same (power near sav \$4) same (normal near (state mode)) and (print\$4 mfp)	US-PGPUB; USPAT	OR	O	2009/02/01 11:49
S36	12	(print\$4 mfp) same (off near (state mode)) same (power near sav \$4) same (normal near (state mode))	US-PGPUB; USPAT	OR	ON	2009/02/01 11:55
S37	6	(processor cpu (process \$4 near unit)) near3 (off near (state mode)) same (power near sav \$4) same print\$4	US-PGPUB; USPAT	OR	ON	2009/06/30 16:29
S38	1495	(cpu processor (process \$4 near (device unit))) near5 (off inactive sleep) same print\$4	US-PGPUB; USPAT	OR	ON	2009/08/04 10:35
S39	356	(cpu processor (process \$4 near (device unit))) near5 (inactive ((off sleep) near (state mode))) same print\$4	US-PGPUB; USPAT	OR	ON	2009/08/04 10:36
S40	12	(cpu processor (process \$4 near (device unit))) near5 (power near sav \$4) near5 (inactive ((off sleep) near (state mode))) same print\$4	US-PGPUB; USPAT	OR	ON	2009/08/04 10:38
S41	25	(power near sav\$4) with (cpu processor (process\$4 near (device unit))) with (inactive ((off sleep) near (state mode))) same print\$4	US-PGPUB; USPAT	OR	ON	2009/08/04 10:42

S42	49	(cpu processor (process \$4 near (device unit))) near5 (inactive ((off sleep) near (state mode))) same print\$4 sade ((receiv\$4 obtain \$4) near (data information))	US-PGPUB; USPAT	OR	0 0	2009/08/04 10:48
S43	8	("5751925" "5844813" "6509975").PN. OR ("7057754").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/01 10:04
S44	67	(cpu processor (process \$4 near (device unit))) near5 (unavailable inactive ((off sleep) near (state mode))) same print\$4 same ((input\$4 retriev\$4 receiv\$4 obtain\$4) near (data imag\$4 information))	US-PGPUB; USPAT	OR	OR .	2009/12/01
S45	119	(cpu processor (process \$4 near (device unit))) with (unavailable inactive ((off sleep\$4) near (state mode))) same print\$4 same ((input\$4 retriev\$4 receiv\$4 obtain\$4) near (data imag\$4 information))	US-PGPUB; USPAT	OR	ON	2009/12/01
S46	61	(cpu processor (process \$4 near (device unit))) with (unavailable inactive ((off sleep\$4) near (state mode))) with print\$4 with ((input\$4 retriev\$4 receiv\$4 obtain\$4) near (data imag\$4 information))	US-PGPUB; USPAT	ÖR	ON	2009/12/01

S47	12	((cpu processor (process\$4 near (device unit))) with (unavailable inactive ((off sleep\$4) near (state mode))) same print\$4 same ((input\$4 retriev\$4 receiv\$4 obtain\$4) near (data imag\$4 information))). clm.	US-PGPUB; USPAT	OR	ON	2009/12/01
S48	17	("5276459" "5416596" "5425209" "5416596" "5581668" "5596353" "5636332" "5666584" "5751925"), PN. OR ("5933581"), URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/01
S49	115	("20030103656" "20030233274" "20050149364" "5557748" "5841981" "5900900" "5933581" "5905900" "5933581" "59337148" "6937148" "668925" "6408395" "6493100" "6594767").PN. OR ("7158245").URPN.	US-PGPUB; USPAT; USOOR	OR	ON	2009/12/01
S50	119	(cpu processor (process \$4 near (device unit))) with (unavailable inactive ((off sleep\$4) near (state mode))) same print\$4 same ((input\$4 retriev\$4 receiv\$4 obtain\$4) near (data imag\$4 information))	US-PGPUB; USPAT	OR	ON	2009/12/01 11:53
S51	2507	358/1.14.ccls.	US-PGPUB; USPAT	OR	ON	2009/12/01 12:00
S52	42	((cpu processor (process\$4 near (device unit))) near5 (unavailable inactive ((off sleep\$4) near (state mode))) same print\$4) and \$51	US-PGPUB; USPAT	OR	ON	2009/12/01 12:01

S53	253	(opu processor (process \$4 near (device unit))) near5 (unavailable inactive ((off sleep\$4) near (state mode))) with ((input\$4 retriev \$4 receiv\$4 obtain\$4) near (data imag\$4 information))	US-PGPUB; USPAT	©OR		2009/12/01 15:45
S54	114	(cpu processor (process \$4 near (device unit))) near5 (unavailable inactive ((off sleep\$4) near (state mode))) near5 ((input\$4 retriev \$4 receiv\$4 obtain\$4) near (data imag\$4 information))	US-PGPUB; USPAT	OR	O	2009/12/01 15:45
S55	0	(cpu processor (process \$4 near (device unit))) near5 (unavailable inactive ((off sleep\$4) near (state mode))) near5 ((input\$4 retriev \$4 receiv\$4 obtain\$4) near (data imag\$4 information)) same (power near (sav\$4 stor\$4) near mode) same ((normal regular) same mode)	US-PGPUB; USPAT	OR	ON	2009/12/02 10:52
S56		(cpu processor (process \$4 near (device unit))) near5 (unavailable inactive ((off sleep\$4) near (state mode))) near5 ((input\$4 retriev \$4 receiv\$4 obtain\$4) near (data imag\$4 information)) and (power near (sav\$4 stor\$4) near mode) same ((normal regular) same mode)	US-PGPUB; USPAT	OR	ON	2009/12/02 10:57

S57	9	(opu processor (process \$4 near (device unit))) near5 (unavailable inactive ((off sleep\$4) near (state mode))) near5 ((input\$4 retriev \$4 receiv\$4 obtain\$4) near (data imag\$4 information)) and (power near (sav\$4 stor\$4) near mode) and ((normal regular) same mode)	US-PGPUB; USPAT	OR	ON	2009/12/02 11:37
S58	111	(cpu controller processor ((processor ((processof (device unit))) near5 (unavailable inactive ((off sleep\$4) near (state mode)) near5 ((input\$4 retriev\$4 receiv\$4 obtain\$4) near (data imag\$4 information)) and (power near (sav\$4 stor\$4) near mode) amode) amode)	US-PGPUB; USPAT	OR	ON	2009/12/02 14:09
S59	18	(cpu controller processor ((process\$4 control\$4) near (device unit))) near5 (unavailable inactive ((off sleep\$4) near (state mode))) near5 ((input\$4 retriev\$4 receiv\$4 obtain\$4) near (data imag\$4 information)) and (power near (sav\$4 stor\$4) near mode)	US-PGPUB; USPAT	OR	ON	2009/12/02 14:11

S60		(cpu controller processor ((process\$4 control\$4) near (device unit)) near5 (unavailable inactive ((off sleep\$4) near ((state mode)) near5 ((input\$4 retriev\$4 receiv\$4 obtain\$4) near (data imag\$4 information))	US-PGPUB; USPAT	OR	<u>C</u>	2009/12/02
S61	1376	713/324.ccls.	US-PGPUB; USPAT	OR	ON	2009/12/04 11:29
S62	274	((cpu controller processor ((process\$4 control\$4) near (device unit))) near5 (unavailable inactive ((off sleep\$4) near (state mode)))) and \$61	US-PGPUB; USPAT	OR	ON	2009/12/04 11:33
S63	214	((cpu processor (process\$4 near (device unit))) near5 (unavailable inactive ((off sleep\$4) near (state mode)))) and \$61	US-PGPUB; USPAT	OR	ON	2009/12/04 11:34
S64	220	((cpu controller processor ((process\$4 control\$4) near (device unit))) near3 (unavailable inactive ((off sleep\$4) near (state mode)))) and S61	US-PGPUB; USPAT	OR	ON	2009/12/04 11:35
S65	90	((cpu controller processor ((process\$4 control\$4) near (device unit))) near (unavailable inactive ((off sleep\$4) near (state mode)))) and \$61	US-PGPUB; USPAT	OR	ON	2009/12/04 11:35

S66	8	((cpu processor (process\$4 near (device unit))) near5 (unavailable inactive ((off sleep\$4) near (state mode))) with ((input\$4 retriev\$4 receiv\$4 obtain\$4) near (data imag\$4 information))) and \$61	US-PGPUB; USPAT	OR	ON	2009/12/04 11:44
S67	39	((cpu processor (process\$4 near (device unit))) near5 (unavailable inactive ((off sleep\$4) near (state mode))) with (controller (control\$4 near (unit device)))) and \$61	US-PGPUB; USPAT	OR	ON	2009/12/04 12:26
S68	19	(cpu processor (process \$4 near (device unit))) near5 (unavailable inactive ((off sleep\$4) near (state mode))) near5 ((input\$4 retriev \$4 receiv\$4 obtain\$4) near (data imag\$4 information)) same (controller (controls\$4 near (unit device)))	US-PGPUB; USPAT	OR	<u> </u>	2009/12/04 13:00
S69	3	("5751925" "5844813" "6509975").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/04 13:01
S70	4	("5751925" "5844813" "6509975").PN. OR ("7352486").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/04 13:01

EAST Search History (Interference)

12/4/2009 2:26:09 PM

C:\ Documents and Settings\ vrudolph\ My Documents\ EAST\ Workspaces\ 09975250. wsp

< This search history is empty>